



ARG 30 FIRE HARNESS

Article No.: 69162SK364

Model No.: G-0030-F

The ARG 30 FIRE is through the use of flame retardant webbing and yarn (tested according DIN EN ISO 14116: 2008 Index 3/5H/40 with EN 15025 - method A) the perfect harness for persons working in high-risk areas. Ideal applications are areas with explosion potential such as welding operations, military operations, driving and rescuing from tanks or fire protection.



FEATURES

Flame resistant:	Yes
Max. service life:	6-8 Years
Max. number of persons:	1
Attachment points:	Dorsal, Sternal, Pole
Hand-washing:	40 °C
Temperature:	-35 °C to 45 °C

MEASUREMENT/WEIGHT

Weight:	1.72 kg
Size:	Unisize
Waist size (cm):	80-110

MATERIALS

Strap:	Polyester
Chest D-Ring:	Steel
Dorsal D-Ring:	Steel
Positioning D-Ring:	

STANDARDS

EN 14116 Index 3/5H/40:2008, EN 15025-A:2002, EN 358, EN 361:2002, EN 61482-1-2 Cl.2:20072

AREA OF APPLICATION



**FLAME
RETARDANT**

Doc. Control:	Rev.:	Date:
	3.2	April 11, 2016

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FP 1327-3.2




ARG 30 FIRE HARNESS

Article No.: 69162SK364

Model No.: G-0030-F

SPECIFICATION & FEATURES



Dorsal D-Ring
EN 361

Sternal D-Ring
EN 361

Positioning
D-Ring
EN 358

Buckles



FLAME RETARDANT

Flame retardant, lateral attachment points
Quick fasteners that can be solved even after
exposure to flame, shoulder and leg straps.

AREA OF APPLICATION

Construction / Roofer / Carpenter, Fire brigade /
Rescue / Special Forces, Metal Construction,
Power Supplies / -Transmission /
Telecommunications



Doc. Control:	Rev.: 3.2	Date: April 11, 2016
---------------	--------------	-------------------------

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FP 1327-3.2



EG Konformitätserklärung EC Declaration of Conformity

Der Hersteller oder sein in der Gemeinschaft niedergelassener Bevollmächtigter erklärt hiermit, dass die nachstehend beschriebene neue PSA:

The manufacturer or his authorized representative established in the Community declares that the new PPE described hereafter:

'ARG 30 FIRE' (G-0030-F) nach EN 14116 Index 3/5H/40:2008, EN 15025-A:2002, EN 358, EN 361:2002, EN 61482-1-2 Cl.2:2007

'ARG 30 FIRE' (G-0030-F) according EN 14116 Index 3/5H/40:2008, EN 15025-A:2002, EN 358, EN 361:2002, EN 61482-1-2 Cl.2:2007

- Übereinstimmt mit den Bestimmungen der Richtlinie 89/686/EWG und
- identisch ist mit der PSA, die Gegenstand der EG-Baumusterprüfbescheinigung Nr. P5 12 04 56368 185 war, ausgestellt vom:
- is in conformity with the provisions of Council Directive 89/686/EEC and
- is identical to the PPE which is subject of EC-type certificate No. P5 12 04 56368 185 issued by:

TÜV SÜD PRODUCT SERVICE GMBH, Germany (CE0123)

Skylotec GmbH unterliegt dem Verfahren nach Artikel 11 Buchstabe B der Richtlinie 89/686/EWG unter Kontrolle der gemeldeten Stelle:

Skylotec GmbH is subject to the procedure set out in Article 11 point B of Directive 89/686/EEC under the supervision of the notified body:

TÜV SÜD Product Service GmbH, Daimlerstraße 11, 85748 Garching, Germany (CE0123)

Neuwied, 2012-04-16

Ort, Datum, Unterschrift / Place, date, signature



SKYLOTEC GmbH
Im Mühlengrund 6-8
56566 Neuwied • Germany
Fon +49 (0)2631 • 9680-0
Fax +49 (0)2631 • 9680-80

SKYLOTEC GmbH
Im Mühlengrund 6-8
56566 Neuwied
Fon +49 (0)2631 • 9680-0
Fax +49 (0)2631 • 9680-80
Mail info@skylotec.de
Web www.skylotec.de

CEO:
Dr. jur. Kai Rinklake
Register Number B11423
VAT ID DE149 527 314