

AEGIS

HIGH TEMPERATURE FIBERGLASS GLOVES

Article No.: HG-6015



Texturized Fiberglass Gloves that provide superior protection from extreme hot temperatures, sparks, and molten metal splash. Has vermiculite coating that gives protection from 815°C operating up to 1095°C peak temperature.



Heat Resistant



Abrasion Resistant



Tear Resistant



Contact Temperature

Up to
1095 °C

SPECIFICATIONS

- Fiber type:** Texturized Fiberglass
- Coating:** Vermiculite Coating
- Operating Temperature:** 815 °C (1500 °F)
- Contact Temperature:** 1095 °C (2000 °F)
- Length:** 14" (35.56 cm)
- Size:** One Size Fits All
- Color:** Gold
- Packing:** 12 Pairs/box

APPLICATIONS

- Kiln & furnace operations in laboratories, heat processing facilities, and high temperature industrial environments.

INTERNATIONAL STANDARDS

CAT III 	EN 388 	Abrasion Resistance	0 1 2 3 4
	3 X 4 X	Cut Resistance	0 1 2 3 4 5
		Tear Resistance	0 1 2 3 4
		Puncture Resistance	0 1 2 3 4
EN 420 	EN 407 	Flammability	0 1 2 3 4
		Contact heat	0 1 2 3 4
		Convective heat	0 1 2 3 4
		Radiant heat	0 1 2 3 4
		Small molten metal splashes	- N A -
4341XX		Large molten metal splashes	- N A -

Doc. Control:	Rev.:	Date:
	3.2	March 22, 2016

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT HG 5173-3.2

