

PERSONAL PROTECTIVE EQUIPMENT



WORK COVERALL

Article No.: 0105FT36

Flash Armor® inherently flame-retardant and high temperature resistant garments do not support cumbustion in the air, melt or drip due to their molecular structure and its flame retardant characteristics cannot be washed away. Our range is designed to cater for working conditions around the world as garments are offered in various designs and options.

Flame resistant clothing made with **Flash Armor**® provides valuable peace-of-mind, which enables those who wear it to focus on the job at-hand & perform to their fullest potential.





A breathable workwear with properties of inherent heat & flame retardant. This garment is a preferred choice of people working from the oil & gas, petrochemical, refinery industries, as well as an excellent choice for electric and power generation industries.

Inherently flame resistant – FR properties are built in and won't wash or wear out.

Comfortable to wear - Soft & breathable. Roomy sizing patterns allow for a great fit.

Exceptional durability – Outstanding laundered appearance - Fabric retains its like new look and maintains permanent pressed appearance.

Excellent Value – Long life cycle & great durability.

COMPOSITION

Fabric Grade: Dupont™ Nomex® IIIA

Composition: 93% Nomex, 5% Kevlar, 2% P140 (Antistatic)

Fabric Weight: 4.5 oz or 150 gsm

STYLE & DESIGN

· 8 Pockets Design -

Two chest pockets, one with flap & pencil slot on the left / Two side pockets Two rear pockets, one with flap on the right / One tool pocket on the right leg

- With "pass through" to access the inner garment
- Two way heavy duty metallic zipper, snap button and storm flap closure
- Fully double stitched and bar tacked stress points
- Action back allowing maximum body movement
- Full sleeves with adjustable cuffs
- Permanent sewn crease line
- Snap button neck closureWith hanging hook on collar
- Concealed elastic waist on backside.
- Stitched with DuPont[™] Nomex[®] thread
- Colour Fastness 4-5 and Easy care
- · All metal parts are fully concealed



INTERNATIONAL STANDARDS

- EN ISO 11612:2008 (A1 Limited Flame Spread, B1 Convective Heat, C1 Radiant Heat)
- EN 1149-5:2008
- NFPA-2112
- ASTM D 6413-99
- ASTM D 737
- ATPV 4,1 cal/cm² CAT 1


















This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 6050-3.2



NHERENTLY HEAT & FLAME RETARDANT


PERSONAL PROTECTIVE EQUIPMENT



WORK COVERALL

Article No.: 0105FT36

STYLE & DESIGN SPECIFICATIONS



COLOURS



Navy



Royal







Tan

SIZE CHART

| S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 36-38 | 40-42 | 44-46 | 48-50 | 52-54 | 56-58 | 60-62 | 64-66 | 68-70 |


PPE CUSTOMIZATION PROGRAM



- Style and colour as per Client's requirements can be produced.
- Computerized embroidered company logo, name badges & job designation.
- EN 471 High-Viz Reflective Tape

PACKING

Each piece in polythene cover and 20 pcs. in seaworthy carton



This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 6050-3.2

INTERNATIONAL STANDARDS











COMPONENTS







Action back body movement



Concealed elastic waist on backside.



