

PERSONAL PROTECTIVE EQUIPMENT





WORK COVERALL

Article No.: 0107FT36

Flash Armor® inherently flame-retardant and high temperature resistant garments do not support cumbustion in the air, melt or drip due to their molecular structure and its flame retardant characteristics cannot be washed away. Our range is designed to cater for working conditions around the world as garments are offered in various designs and options.

Flame resistant clothing made with **Flash Armor**® provides valuable peace-of-mind, which enables those who wear it to focus on the job at-hand & perform to their fullest potential.





A breathable workwear with properties of inherent heat & flame retardant. This garment is a preferred choice of people working from the oil & gas, petrochemical, refinery industries, as well as an excellent choice for electric and power generation industries.

Inherently flame resistant – FR properties are built in and won't wash or wear out.

Comfortable to wear - Soft & breathable. Roomy sizing patterns allow for a great fit.

Exceptional durability – Outstanding laundered appearance - Fabric retains its like new look and maintains permanent pressed appearance.

Excellent Value – Long life cycle & great durability.

COMPOSITION

Fabric Grade: Dupont™ Nomex® Delta C.A. (Comfort)
Composition: 93% Nomex, 5% Kevlar, 2% P140 (Antistatic)

Fabric Weight: 4.5 oz or 150 gsm

STYLE & DESIGN

· 8 Pockets Design -

Two chest pockets, one with flap & pencil slot on the left / Two side pockets
Two rear pockets, one with flap on the right / One tool pocket on the right leg

- With "pass through" to access the inner garment
- Two way heavy duty metallic zipper, snap button and storm flap closure
- Fully double stitched and bar tacked stress points
- Action back allowing maximum body movement
- Full sleeves with adjustable cuffs
- · Permanent sewn crease line
- Snap button neck closure
- · With hanging hook on collar
- Concealed elastic waist on backside.
- Stitched with DuPont[™] Nomex[®] thread
- Colour Fastness 4-5 and Easy care
- · All metal parts are fully concealed



INTERNATIONAL STANDARDS

- EN ISO 11612:2008 (A1 Limited Flame Spread, B1 Convective Heat, C1 Radiant Heat)
- EN 1149-5:2008
- NFPA-2112
- ASTM D 6413-99
- ASTM D 737
- ATPV 4,1 cal/cm² HRC 1




















This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 6005-3.2



NHERENTLY HEAT & FLAME RETARDANT

PERSONAL PROTECTIVE EQUIPMENT








WORK COVERALL

Article No.: 0107FT36

STYLE & DESIGN SPECIFICATIONS



COLOURS



Navy

Blue





Blue







Yellow

COMPONENTS



INTERNATIONAL STANDARDS

EN ISO 1149-5

Two way heavy duty metallic zipper, snap allowing maximum button & storm flap closure

body movement

Concealed elastic waist on backside.








SIZE CHART

S	M	L	XL	2XL	3XL	4XL	5XL	6XL
36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66	68-70

PPE CUSTOMIZATION PROGRAM



- Computerized embroidered company logo, name badges & job designation.
- EN 471 High-Viz Reflective Tape

PACKING

Each piece in polythene cover and 20 pcs. in seaworthy carton

Doc. Control:	Rev.:	Date:			
Doc. Control:	3.2	March 30, 2016			

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 6005-3.2

URSPEC