

# 🛞 INHERENTLY HEAT & FLAME RETARDANT

PERSONAL PROTECTIVE EQUIPMENT




# WORK LABCOAT Article No.: 0938FT01

**Flash Armor**<sup>®</sup> inherently flame-retardant and high temperature resistant garments do not support cumbustion in the air, melt or drip due to their molecular structure and its flame retardant characteristics cannot be washed away. Our range is designed to cater for working conditions around the world as garments are offered in various designs and options.

Flame resistant clothing made with **Flash Armor**<sup>®</sup> provides valuable peace-of-mind, which enables those who wear it to focus on the job at-hand & perform to their fullest potential.





## COMPOSITION

Fabric Grade:Tecasafe® Plus 580Composition:48% FR-Modacrylic/ 37% Lyocell/ 15% AramidFabric Weight:197 gsm or 5.8 oz

#### **STYLE & DESIGN**

- Four front chest pockets
- 2 Pencil slot on left sleeve
- Full one piece straight back
- Knee length
- Concealed metallic snap button front closure
- Adjustable cuffs
- All stree points are bar tacked
- Double stitched with FR thread
- Colour fastness 4-5 and Easy care



\*Suggested base weight of the fabric for durability, strength & performance which achieves the Arc Thermal Performance Value (ATPV) of 6.5 cal/cm<sup>2</sup>

#### **INTERNATIONAL STANDARDS**

- EN ISO 11612:2008 (A1, A2, B1, C1, F1)
- NFPA-2112
- NFPA 70E
- ATPV (6,5 cal/cm<sup>2</sup>) CAT 1 • ASTM F 1959

 Rev.:
 Date:

 3.2
 April 3, 2016



This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 6122-3.2





WWW.FLOWTRONIX.COM

WE ARE TRUSTED TO DELIVER QUALITY





#### PPE CUSTOMIZATION PROGRAM

40-42

44-46

• Style and colour as per Client's requirements can be produced.

48-50

Computerized embroidered company logo, name badges & job designation.

52-54

56-58

• EN 471 High-Viz Reflective Tape

## PACKING

36-38

Each piece in polythene cover and 20 pcs. in seaworthy carton



This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 6122-3.2

60-62

---

---

Concealed metallic

snap button front

closure

URSPEC



Adjustable cuff



All stress points

are bar tacked

FLOWTRONIX (FT)

WWW.FLOWTRONIX.COM

WE ARE TRUSTED TO DELIVER QUALITY