



WORK COVERALL

Article No.: 01154FT36

Flash Armor® inherently flame-retardant and high temperature resistant garments do not support combustion in the air, melt or drip due to their molecular structure and its flame retardant characteristics cannot be washed away. Our range is designed to cater for working conditions around the world as garments are offered in various designs and options.

Flame resistant clothing made with **Flash Armor®** provides valuable peace-of-mind, which enables those who wear it to focus on the job at-hand & perform to their fullest potential.



Flash Fire



Flash-over



Industrial heat



Anti-static



TARGA® TRG500 work wears are Inherently Flame Retardant and Anti-static. The innovative composition of the fabric provides the advantageous benefits of high tensile, tear & abrasion resistance. **TARGA® TRG500** is breathable, light weight fabric developed for hot and humid working conditions. Its moisture absorbent and wicking qualities during the usage keep the garment dry. **TARGA® TRG500** provides excellent protection, meets the performance parameters and provides best in class comfortable work wears for rigorous working conditions.



Inherent FR



Tear & Tensile Strength



For Hot Conditions



Color Fastness



Abrasion Resistant



Lightweight



Breathable



No Cotton Fibers

COMPOSITION

- Fabric : TARGA® TRG500
Inherent Flame Retardant and Anti-static
Meta & Para Aramid (93% Meta Aramid, 5% Para Aramid, 2% Anti static),
Protex, Polyamide, FR Viscose, Anti static
- Fabric weight : 180 GSM or 5.3 OZ

STYLE & DESIGN

- 8 Pockets Design - Two chest pockets, one with flap & pencil slot on the left / Two side pockets / Two rear pockets, one with flap on the right / Tool pocket on the right leg
- With "pass through" to access the inner garment
- Two way heavy duty metallic zipper, snap button and storm flap closure
- Fully double stitched and bar tacked stress points with FR thread
- Action back allowing maximum body movement
- Full sleeves with adjustable cuffs
- Permanent sewn crease line
- Snap button neck closure with hanging hook on collar
- Concealed elastic waist on backside
- Colour Fastness 4-5 and Easy care
- All metal parts are fully concealed



PPE CUSTOMIZATION PROGRAM

APPLICATIONS

The selection of high quality Inherent Flame Retardant TARGA® TRG500 fabric and the durable garment construction makes it ideal for industrial, oil and gas, petrochemical, construction, maintenance, manufacturing and electrical industries.

TARGA® TRG 500



A PRODUCT OF



SATRA CERTIFICATE NO.
2777/14786-01/E00-00

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 01/16 Rev. 3.2 02/04/16



INHERENTLY HEAT & FLAME RETARDANT

PERSONAL PROTECTIVE EQUIPMENT



FLASH ARMOR

FLAME RETARDANT WORKWEARS

WORK COVERALL

Article No.: 01154FT36

STYLE & DESIGN SPECIFICATIONS

Pen pocket with 2 slot

Two way heavy duty YKK zipper, stormflap & concealed metallic snap button closure

Two chest pockets
Left chest pocket with flap cover, pencil slot and snap button locked.
Right chest pocket with snap button lock without flap cover.

Two side pockets with "pass through" to access the inner garment

One tool pocket

1 inch reflective tape

Permanent sewn crease line



Action back pleats

1 inch reflective tape

Elastic waist on the back

Adjustable cuffs with concealed snap buttons

Two rear pockets
Right pocket with flap cover & snap button lock.
Left pocket with snap button lock without flap cover.



COLOURS



Red



Navy Blue



Royal Blue



Orange



Yellow



Tan

SIZE CHART

S	M	L	XL	2XL	3XL	4XL	5XL	6XL
36-38	40-42	44-46	48-50	52-54	56-58	60-62	64-66	68-70

PPE CUSTOMIZATION PROGRAM

- Style and colour as per Client's requirements can be produced.
- Computerized embroidered company logo, name badges & job designation.
- **EN 471** High-Viz Reflective Tape

URSPEX

PACKING


Each piece in polythene cover and 20 pcs. in seaworthy carton

INTERNATIONAL STANDARDS




SATRA CERTIFICATE NO.
2777/14786-01/E00-00

COMPONENTS



Two way heavy duty metallic zipper, snap button & storm flap closure



Action back allowing maximum body movement



Concealed elastic waist on backside.

TARGA®
TRG 500



A PRODUCT OF



This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR P119-32 P1/AD/Rev. 3.2 02/04/16



INHERENTLY HEAT & FLAME RETARDANT

PERSONAL PROTECTIVE EQUIPMENT



 **FLASH
ARMOR**
FLAME RETARDANT WORKWEARS

FABRIC FEATURES



- Inherent FR-Solution



- Outstanding Tear & Tensile Strength



- Built to Manage Hot and Humid Conditions



- Excellent Colorfastness



- High Abrasion Resistance



- Lightweight



- Breathable and Comfortable



- No Cotton Fibers

GARMENT CARE



Machine Wash, Normal
(Max. 140°F/60°C)
Heavy Duty Detergent



Iron, Medium Heat



Line Dry in Shade



Do Not Use Chlorine Bleach



Tumble Dry Low
(Max. 160°F/71°C)



Dry clean, any solvent
except trichloroethylene

APPLICATIONS

- The combination of these capabilities makes it an ideal fabric for industrial workwear occupations in Oil and Gas, Petrochemical, Maintenance, Construction, Manufacturing and Electrical industries.



Flash Fire



Flash-over



Industrial heat



Anti-static

USE PERFORMANCE AND LIMITATIONS

- The flame retardant properties of the garment may be reduced if the protective garment has been contaminated with inflammable material
- Damaged garments should not be repaired and disposed of as it may have reduced protection level
- Key features of garment design should not be modified to maintain certification
- Dirty and soiled garments may reduce the level of protection



PERFORMS WHEN IT MATTERS

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT FR 6119-32
FT/ADS Rev. 3.2 02/04/16

A PRODUCT OF

